



Thule Rapid System Kit 1611

> Instructions

FIAT 500, 3-dr Hatchback, 07-*

FIAT 500, 3-dr Hatchback, 11-**

*Without glass roof

**North America, Without glass roof

Weight Limit:

xx kg xx lbs	+	7 kg 15,4 lbs	
+			3 kg 6,6 lbs
=			Max. 50 kg 110 lbs

Speed Limit:


80 km/h 50 Mph	130 km/h 80 Mph
40 km/h 25 Mph	
km/h Mph	

ISO 11154-E

141611



C.20140806
519-1611-02

Bring your life
thule.com



1


	X (scale)	X (mm)	X (inch)
FIAT 500, 3-dr Hatchback, 07-*	33,5	986	38 7/8
FIAT 500, 3-dr Hatchback, 11-**	33,5	986	38 7/8



	Y (scale)	Y (mm)	Y (inch)
FIAT 500, 3-dr Hatchback, 07-*	28	931	36 5/8
FIAT 500, 3-dr Hatchback, 11-**	28	931	36 5/8



2

SRA




FIAT 500, 3-dr Hatchback, 07-*

FIAT 500, 3-dr Hatchback, 11-**



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
FIAT 500, 3-dr Hatchback, 07-*	225	600	350	8 7/8	23 5/8	13 3/4
FIAT 500, 3-dr Hatchback, 11-**	225	600	350	8 7/8	23 5/8	13 3/4

